



# 2MP IP Camera

DD2I25MZN



## Key Features

- 2MP Outdoor Motorized Dome IP
- 1/2.8" SmartSens CMOS sensor
- IP67 Outdoor Metal Case
- 2.7-13.5mm Motorized Lens
- IR Distance 25M Max.
- With Internal POE



[www.iid2secure.nl](http://www.iid2secure.nl)  
Extra Benefits, Less Price  
Finestrat,19, 03530 La Nucia, Alicante, Spain  
© IID Secure Tech S.L.U. 2019

Heemdtedestraat 16 Amsterdam, Netherlands  
[Support@iid2secure.nl](mailto:Support@iid2secure.nl)  
+31614762425  
Data Subject to change without notice



## Specification

<b>Model NO.</b>	<b>DD2I25MZN</b>
<b>Camera</b>	
<b>Image Sensor</b>	1/2.8" SmartSens CMOS sensor
<b>Resolution</b>	2MP 1080P
<b>Effective Pixels</b>	1920(H)*1080(V)
<b>Compression</b>	H.264/H.264+/H.265/H.265+/JPEG/AVI /MJPEG
<b>TV System</b>	PAL/NTSC
<b>Electronic Shutter Time</b>	Auto: PAL 1/25-1/10000Sec; NTSC 1/30-1/10000Sec
<b>Minimum Illumination</b>	0.005Lux
<b>S/N Ratio</b>	≥52dB
<b>Scanning System</b>	Progressive
<b>Video Output</b>	Network
<b>Reset Button</b>	Optional
<b>Lens</b>	
<b>Focus Length</b>	2.7-13.5mm Motor Zoom
<b>Focus Control</b>	Auto
<b>Lens Type</b>	Auto
<b>Pixels</b>	2MP
<b>Night Vision</b>	
<b>Infrared LED</b>	42μ x 2PCS
<b>Infrared Distance</b>	25M
<b>IR Status</b>	Auto Control
<b>IR Power On</b>	Smart, Manual & Timed mode
<b>Network</b>	
<b>Ethernet</b>	RJ-45 (10/100Base-T)
<b>Wireless</b>	/
<b>Protocol</b>	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP ,PPPoE, NTP, UPnP, SMTP, UDP
<b>ONVIF</b>	Support ONVIF 2.4(Profile S/T/G)
<b>P2P</b>	YES, Support QR Code
<b>POE</b>	Internal, Support IEEE 802.3af
<b>Video Delay</b>	0.3S (Within the Lan)
<b>Main Stream 1</b>	2304*1296@20fps
<b>Main Stream 2</b>	1920*1080@30fps
<b>Main Stream 3</b>	1280*720@30fps
<b>Sub Stream 1</b>	1280*720@30fps
<b>Sub Stream 2</b>	720*480@30fps
<b>Sub Stream 3</b>	/
<b>Tri Stream</b>	1280*720@30fps 720*480@30fps
<b>IE Brower</b>	IE8-11, Google Chrome, Firefox , Mac Safari
<b>Smart Phone</b>	iPhone, iPad, Android, Android Pad



[www.iid2secure.nl](http://www.iid2secure.nl)  
 Extra Benefits, Less Price  
 Finestrat,19, 03530 La Nucia, Alicante, Spain  
 © IID Secure Tech S.L.U. 2019

Heemdtedestraat 16 Amsterdam, Netherlands  
[Support@iid2secure.nl](mailto:Support@iid2secure.nl)  
 +31614762425  
 Data Subject to change without notice



AI Function	
Intelligent Analysis	Intrusion Detection
Camera Features	
Day/Night	Color/ B&W (IR-CUT )
Image Config	Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, FLK(Flicker Control), Video Tampering, HLC, Distortion
Full Color	/
Corridor Pattern	Support
Defog Mode	Support
ROI	Support
BLC	Support
WDR	HDR: 120dB
Motion Detection	Support
Starlight	Support
Privacy Masking	3 Rectangular Zone
Recording Mode	NVR/CMS/Web
Language	Chinese Simplified, Chinese Traditional, English, Bulgarian, Polish, Arabic, German, Russian, French, Korean, Portuguese, Japanese, Turkish, Spanish, Hebrew, Italian, Nederland's, Czech, Vietnamese
Interface	
Audio	1 Built-in MIC
Alarm	/
SD Card Slot	External, Support Max 512GB
RS485	/
General	
Housing	Metal , IP67
Anti-cut Bracket	Optional Wall Bracket
IR Cut Filter	YES
Operation Temperature	-20°C ~ +60°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 700mA
Dimension	Φ 128 x 108(H)mm
Weight	800g




www.iid2secure.nl  
Extra Benefits, Less Price  
Finestrat,19, 03530 La Nucia, Alicante, Spain  
© IID Secure Tech S.L.U. 2019

Heemdtedestraat 16 Amsterdam, Netherlands  
Support@iid2secure.nl  
+31614762425  
Data Subject to change without notice

Material	Aluminum & SECC & PC
Dimension(WxHxD)	Φ128 x 108mm
Weight	set with packaging 800g
Color	Sand Grain White
Operating Temperature	-20°C ~ +60°C
Humidity	< 95% RH

## Dimensions



[www.iid2secure.nl](http://www.iid2secure.nl)  
 Extra Benefits, Less Price  
 Finestrat,19, 03530 La Nucia, Alicante, Spain  
 © IID Secure Tech S.L.U. 2019

Heemdtedestraat 16 Amsterdam, Netherlands  
[Support@iid2secure.nl](mailto:Support@iid2secure.nl)  
 +31614762425  
 Data Subject to change without notice