



This is KH8868 Wireless Security Burglar Alarm Motion Detector

Sensor, it provides a reliable and cost-effective solution based on PIR technology. With outstanding password, engine password, user password, monitor, convenient to user operation and engine monitor. This detector is compact and attractively designed to meet the needs of residential installations. It is programmed to withstand all possible interferences which are inherent in a residential environment, yet provides excellent performance in intruder detection.

Features

- It has 100 wireless zone alarm
- 6 standard Wired zone
- 2 standard outlet
- Big screen with LCD
- Voice control
- With keyboard, and cover protected
- Checking arm, disarm, alarm issue, etc
- With 2 grade auto arm, disarm setting
- Connected with Contact ID
- Learning coding
- Auto-dialing 6 group telephone number which pre-setting
- With the function which can get the first line when alarm
- High technology and performance

Specifications

The Main

Power Supply	AC220V, DC8.4V.(7kts AAA rechargeable Ni-MH battery)
Signal Frequency	< 15mA
Alarm Sound Level	> 100 dB
Wireless PIR Detector	
Detect Distance	8 - 15 meters
Power	DC 9V
Electric Current in Static	< 60uA
State	
Emission Frequency	315 MHz
Wireless Control Distance	> 500m (in the open air)

Temperature	-30°C - 42°C	
Wireless Door Sensor		
Power	DC 12V, with 12V / 23A battery	
Power Consumption in	< 5uA	
Static State	< SuA	
Emission Frequency	315 MHz	
Wireless Control Distance	> 100 m (in the open air)	
Wireless Remote Control		
Wireless Emission Distance > 50m, (in the open air)		
Power	DC l2V, with 12V / 23A battery	
Emission Frequency	315 MHz	

Package Includes

- 1 x KH8868 Wireless Home Security Auto-dial Theftproof Infrared Alarm System
- 2 x Wireless Remote Controls
- 1 x Siren
- 1 x Wireless IR Detector
- 1 x Phone Cable
- 1 x Infrared Detector Fixation
- 1 x Manual

Extra Info

Things to remember about security alarm systems

- Burglars realize most security systems sound inside the house and then the alarm is transferred to remote locations through the telephone lines
- Most phone lines are typically exposed on the outside of the house in an easily accessible location where the phone line can be cut. If the telephone line is cut, the security alarm system cannot notify the central monitoring station of the break-in
- If the phone line is run underground until it is inside the home (with the main telephone junction box inside the home), the thief cannot tamper with the telephone line until after he or she has broken in

- Having a protected phone line to your house is a good idea whether you have a security alarm system or not
- **Remember:** Security systems do not prevent thieves from breaking into homes