


## TZ-206WWP AS

### COLUMN SPEAKER



The TZ Series Column Speakers are highly efficient compact speakers that deliver excellent sound performance in medium sized venues such as houses of worship, gymnasiums, auditoriums and more.


### Key features

- Column Speaker is suitably designed for in-door use and/or outdoor use.
- Efficient for use in a spacious room.
- The speaker unit is designed to reproduce sound with good clarity and high input power capacity.
- The plastic column speaker comes with speaker bracket as accessories.
- The speaker bracket offers better installation flexibility.

## Specifications

Enclosure	Sealed Type
Rated Input	20 W
Rated Impedance	100 V line: 500 $\Omega$ (20 W), 1 k $\Omega$ (10 W), 2 k $\Omega$ (5 W), 4 k $\Omega$ (2.5 W) 70 V line: 500 $\Omega$ (10 W), 1 k $\Omega$ (5 W), 2 k $\Omega$ (2.5 W), 4 k $\Omega$ (1.3 W)
Sensitivity	89 dB (1 W, 1 m)
Frequency Response	150 Hz - 13,000 Hz
Speaker Component	10 cm (4") PP cone type x 2
Input Terminal	Push-In terminals
Dust/Water Protection	IP65
Finish	Enclosure: HIPS, black, paint Punched Net: Surface-tread steel plate, black, paint Speaker Bracket: Aluminum die-cast, black, paint Joint Bracket, Wall Bracket: Steel plate, t1.6 mm, paint (ED Coating), black
Dimensions	135 (W) x 250 (H) x 128 (D) mm (5.31" x 9.84" x 5.04")
Weight	1.9 kg (4.18 lbs.) unit only
Included Accessories	Speaker Bracket x 1, Joint Bracket x 1, Wall Bracket x 1, Fixing Bolt (M5 x 60) x 1, Hexagon Bolt (M6 x 12) (with plain washer and spring washer) x 2, Machine Screw (M5 x 20) (with plain washer and spring washer) x 2, Hexagon Bolt (M8x 15) x 1, Tapping screw (4x12) x 4, Terminal Cover x 1
Optional Accessories	Speaker Stand: ST-16A

## Dimensions



UNIT: mm